

HACKER™

This is it. The complete instructions. We tell you how to load your disk and give you a couple of other pertinent details. The rest is up to you!

Taken from Amiga-Manuals-Website

HOME COMPUTER SOFTWARE

Loading Instructions

For Commodore 64™

- Plug in Commodore MPS801 or Okimate 10 graphics printer. (Optional)
- Turn on computer and disk drive.
- Insert disk, label side up, into disk drive.
- Type LOAD "", 8, 1 and press RETURN.

For Commodore 128™

- Plug in Commodore MPS801 or Okimate 10 graphics printer. (Optional)
- Turn computer and disk drive on.
- Insert disk, label side up.
- Type GO 64; press RETURN. Then type LOAD "*", 8, 1 and press RETURN.

For Apple II Series Computers

- Plug in LX80, Imagewriter or other compatible graphics printer. (Optional)
- Insert disk, label side up, into drive.
- Turn on equipment.

For Atari 800, XE, XL and Compatible Computers

- Plug in LX80, Okimate 10 or other compatible graphics printer. (Optional)
- Insert disk, label side up, into drive.
- Turn on disk drive and computer.

For Apple® Macintosh™

- Plug in Imagewriter printer.
- Insert disk, label side up.
- Turn on computer.

For Atari® ST™

- Plug in LX80 or FX80 printers.
- Insert disk, label side up.
- Turn on computer.

For Amiga™

- Plug in LX80 or compatible graphics printer.
- Turn on computer.
- Insert Kickstart disk.
- When instructed to insert the Workbench disk, simply insert the Hacker™ disk.

STUMPED? LOST? CONFUSED?

Well, here's a suggestion: Fill out and send in the attached coupon. (Yes! You're finally getting "some" instructions.) Write "HACKER HINTS" on the bottom left corner of the envelope.

Please send me the special "HACKER HINTS." I am including \$1.00 for postage and handling. Please send my hints to:

NAME (please print)

COMPUTER SYSTEM

ADDRESS (street or P.O. Box)

CITY

STATE

ZIP CODE

Mail your completed form and check or money order (no cash please) to:

Activision

Att: "HACKER HINTS"

P.O. Box 7287

Mountain View, CA 94039

LET'S GET TO KNOW EACH OTHER:

We're working hard to design the kind of home computer software you want. We'd love to hear your comments. So drop us a note. We'll put you on our special mailing list. Also, if you'd like to find out about our newest computer software, call 800-633-4263 ANYTIME ON WEEKENDS. In California, call (415) 940-6044/5 (WEEKDAYS ONLY).

Consumer Relations

Activision, Inc.

P.O. Box 7287

Mountain View, CA 94039

Designed by Steve Cartwright. Produced by Brad Fregger. Computer Graphics Consultant — Hilary Mills. Macintosh™ and Atari® ST™ versions by Interplay Productions. Atari® ST™ graphics assistance by Gene Smith. Amiga™ version by Gene Smith. Atari® and Apple® versions by Dave Lubar. Special thanks to David Crane. Rob Swigart and The Washington Post.



Steve Cartwright

COMMODORE AND APPLE II OWNERS – DON'T FORGET THE PRODUCT SAMPLER!

On the reverse side of your disk is an exciting sampler of several new Activision products.

Commodore 64 owners – insert disk into your disk drive label side down and type: LOAD "", 8, 1, then press RETURN to review the latest and greatest Activision Home Computer Software!

Commodore 128 owners – insert disk, label side down and type GO 64; press RETURN then type LOAD "", 8, 1 and press RETURN.

Apple II owners – insert disk, label down side down, into drive and turn on equipment.

This program simulates the experience of being a computer hacker and is intended solely for entertainment purposes. Activision in no way endorses or condones any activities associated with gaining illegal entry to computer networks or files.

ACTIVISION LIMITED 90-DAY WARRANTY

Activision Inc. warrants to the original consumer purchaser of this computer software product that the recording medium on which the software programs are recorded will be free from defects in material and workmanship for 90 days from the date of purchase. If the recording medium is found defective within 90 days of original purchase, Activision agrees to replace, free of charge, any product discovered to be defective within such period upon receipt at its Factory Service Center of the product, postage paid, with proof of date of purchase.

This warranty is limited to the recording medium containing the software program originally provided by Activision and is not applicable to normal wear and tear. This warranty shall not be applicable and shall be void if the defect has arisen through abuse, mistreatment or neglect. Any implied warranties applicable to this product are limited to the 90-day period described above. If the recording medium should fail after the original 90-day warranty period has expired, you may return the software program to Activision Inc. at the address noted below with a check or money order for \$7.50 (U.S. currency), which includes postage and handling, and Activision will mail a replacement to you. To receive a replacement, you should enclose the defective medium (including the original product label) in protective packaging accompanied by: (1) a \$7.50 check, (2) a brief statement describing the defect, and (3) your return address. EXCEPT AS SET FORTH ABOVE, THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED, INCLUDING ANY WARRANT OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND NO OTHER REPRESENTATION OF CLAIMS OF ANY NATURE SHALL BE BINDING ON OR OBLIGATE ACTIVISION. IN NO EVENT WILL ACTIVISION BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGE RESULTING FROM POSSESSION, USE OR MALFUNCTION OF THIS PRODUCT, INCLUDING DAMAGE TO PROPERTY AND, TO THE EXTENT PERMITTED BY LAW, DAMAGES FOR PERSONAL INJURY, EVEN IF ACTIVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS AND/OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS AND/OR EXCLUSION OR LIMITATION OF LIABILITY MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

WARNING

Any attempt to duplicate this product may damage it. Such damage is not covered by the warranty.

U.P.S. or registered mail is recommended for returns. Please send to:

CONSUMER REPLACEMENTS

Activision, Inc.

2350 Bayshore Frontage Road

Mountain View, CA 94043

COPYING PROHIBITED

This software product is copyrighted and all rights are reserved by Activision Inc. The distribution and sale of this product are intended for the use of the original purchaser only and for use only on the computer system specified. Copying, duplicating, selling or otherwise distributing this product without the express written permission of Activision are violations of U.S. Copyright Law and are hereby expressly forbidden.

Apple and MacintoshTM — are trademarks of Apple Computer, Inc.

Atari[®] and StTM are trademarks of Atari Corp.

Amiga, Commodore 64TM and 128TM are trademarks of Commodore Electronics, Ltd.

Okimate[®] is a trademark of Okidata, Inc.

LX 80TM and FX80 are trademarks of Epson America, Inc.

ImagewriterTM is a trademark of Apple Computer, Inc.

Hacker™ Addendum

Loading instructions for Atari® ST computers

- Turn computer and monitor on.
- When you are asked to "insert systems disk", insert the TOS™ disk in the disk drive. Use the mouse to point to "on" and press the left mouse button once. After loading, the screen will display two file drawer symbols, labelled "A" and "B".
- Remove TOS disk and insert **Hacker** disk in disk drive.
- Use the mouse to point to file drawer A. Press the left button twice quickly. After loading, a series of symbols will appear on the screen, one of which is labelled "HACKER.PRГ".
- Use the mouse to point to the "HACKER.PRГ" symbol and press the left mouse button twice.

Note: If you have a graphics printer hooked up to your ST, you should make sure your TOS disk is programmed to the correct printer width. To check your TOS setting, load your TOS disk and use the mouse to point to "desk" and press the left mouse button. Point to "Install Printer" and press the left mouse button. Check the "pixels/line" setting. Choose 1200 or 960 depending on your make and model of printer.